



CHRISTRIO

Manufacturer of Beauty Products

1950 Compton Ave. Ste. 103

Corona, CA. 92881

Phone: (951) 808 – 4730 Fax: (951) 808 – 4734

MATERIAL SAFETY DATA SHEET

Section I: Product and Company Identification

Product name: Gelacquer (All Colors)

Chemical Name: N/A

Manufacturer: CHRISTRIO CORP.

1950 Compton Ave. #103

Corona, CA. 92881

Family Name: UV GELS

Product Use: Professional use only

Emergency Phone #: 800 535- 5053

International Phone #: 1-352-323-3500

Information Contact: (951) 808 – 4730

Section II: Product composition/Ingredients

Chemical Identity/ INCI Name	CAS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/ OSHA	%
Hydroxyethyl Acrylate/IPDI/PPG-15 Glyceryl Ether Copolymer	73297-29-7	N/E	N/E	Not Listed	70
Bis-Hydroxyethyl Acrylate Poly (Neopentyl Glycol Adipate)/IPDI Copolymer	82339-15-9	N/E	N/E	Not Listed	10
Isobornyl Methacrylate	7534-94-3	N/E	N/E	Not Listed	10
Benzoyl Isopropanol	7473-98-5	N/E	N/E	Not Listed	5
Hydroxypropyl Methacrylate	27813-02-1	N/E	N/E	Not Listed	3

Hazard symbols: Xi **Risk Phrases:** R20,R43 **Safety Phrases:** S24/25, S28A, S37, S45

Section IIa: May contain 0-2% of one or more of the following:

Chemical Identity/ INCI Name	CAS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/ OSHA	%
Glitters	Exempt	N/E	N/E	Not Listed	0-2
Blue 1/CI42090	3844-45-9	N/E	2ppm	3/no/no	0-2
Green 6/CI61565	128-80-3	N/E	N/E	Not Listed	0-2
Iron Dioxide/CI77499	12227-89-3	N/E	N/E	Not Listed	0-2
Mica/CI77019	12001-26-2	N/E	N/E	Not Listed	0-2
Red 7/CI15850	5281-04-9	N/E	N/E	Not Listed	0-2

Red 17/CI26100	85-86-9	N/E	N/E	Not Listed	0-2
Red 28/CI45410	84473-86-9	N/E	N/E	Not Listed	0-2
Titanium Dioxide/CI77891	13463-67-7	N/E	N/E	Not Listed	0-2
Violet 2/CI60725	81-48-1	N/E	N/E	Not Listed	0-2
Yellow 5 Aluminum Lake/CI19140	12225-21-7	N/E	N/E	Not Listed	0-2

N/E – None Established
N/R – Not Reviewed
ND/A – No Data Available
N/A – Not Available

Section III: Hazard Identification

EMERGENCY OVERVIEW

- May be slightly toxic.
- May cause moderate skin injury (reddening & swelling).
- May cause chemical burn in eye.
- Suspect respiratory tract irritation hazard.

Protential Health Effects, Sign and Symptoms of Exposure:

Primary Route of Entry No specific information is available.

Eye No specific information available. Contains materials that are essentially nonirritating, but contact may cause slight transient irritation

Skin No specific information available. Skin over exposure or prolonged contact may cause moderate skin injury (reddening and swelling) and/or sensitization in some sensitive of individuals. Since irritation may not occur immediately, contact can go unnoticed.

Ingestion No specific information available. Contains materials that may practically nontoxic. However, it may cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Inhalation No specific information available. Low volatility makes vapor inhalation unlikely. Aerosol can be irritating.

Sub-Chronic effects No specific information available. Limited tests showed no evidence of teratogenicity in animals. A life time skin painting study with a mice showed no evidence of carcinogenicity.

NOTE: Refer to Section 11, Toxicological Information for details.

Section IV: First Aid Measure

First Aid for Eye Flush with plenty of lukewarm water for 15 minutes and seek medical attention immediately.

First Aid for Skin Remove contaminated clothing and wash contact area with soap and water for 15 minutes. Get medical aid if symptom persisted. Wash clothing before reuse.

First Aid for Inhalation In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention.

First Aid for Ingestion Never give anything by mouth to an unconscious person. DO NOT induce vomiting. If conscious and alert, rinse mouth and drink 2 to 4 cupfuls of milk or water immediately and seek medical attention.

Section V: Fire fighting Measures

Flash Point (°F/°C)	Flammable Limit (Vol %)	Auto-ignition Temperature (Vol %)
>212°F/100°C Setaflash	ND/A	ND/A

Method:

**This product is a combustible liquid. This product may ignite readily and decompose to produce carbon oxides.*

Extinguishing Media: Use dry chemical for small fires; aqueous foam or water for large fires.

Fire Fighting Instructions: Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion exists.

Unusual Hazards: High temperatures and fir conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers. Avoid the use of a stream of water to control fires since frothing can occur.

Section VI: Accident Release Measures

Spill or Release Procedure: Spontaneous polymerization can occur. Although material is non-flammable, please try eliminating all sources of heat and ignition. Soak up spill with inert solids (such as clay or vermiculite) and sweep/shovel into disposal container. Wash spill area with strong detergent and water solution; rinse with lukewarm water, but minimize water use during clean up. Do not flush to sewer! US Regulation (CERCLA) require reporting spills and release to soil, water, and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. If a leak or spill has not ignited, use water spray to disperse the vapors. Dispose and report per regulatory requirements if necessary. Please prevent washings from entering waterways.

Section VII: Handling and Storage

Handling: Avoid contact with skin and eyes, and clothing. Use with adequate ventilation and avoid breathing in vapor. Keep container closed when not in use. Avoid prolonged exposure to light. Remove all

contaminated clothing, shoes, belts and other leather goods immediately. Incinerate leather goods (including shoes). Wash contaminated clothing thoroughly before reuse. Wash skin thoroughly with soap and water after handling. Solvents should not be used to clean skin because of increased penetration potential. **Material is extremely light sensitive.** Use extreme care and do not expose to natural or UV light. Unless using material for its purposes. Since the material is very photosensitive any type of light may initiate the hardening (cure) process.

Storage: Store in a tightly closed container. Store in a cool, dry place, away from heat and light. Store at temperatures below 100°F/38°C. Store product in a totally opaque container.

Explosion Hazard: High temperature and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessel or containers.

Section VIII: Exposure Controls/Personal Protective Equipment

Engineering Control Local exhaust recommended to control exposure which may result from operations generating aerosols and hot operations generating vapors.

Personal Protective Equipment

General To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash station impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Eye/Face Protection Wear chemical splash goggles.

Skin Protection Wear impervious gloves (Neoprene).

Respirator Protection A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Section XI: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Special Gravity	Viscosity	% Volatile
Clear, semi-viscous liquid	Characteristic Acrylate Odor	N/A	(H2O = 1): 1.15	N/DA	By Volume: 0.5

Boiling Point/	Decomposition	Octanol/Water	Vapor	Vapor	Evaporation	Ignition	Solubility

Freezing Point	Temperature	Partitioning Coefficient Log Po/w	Pressure	Density	Rate		in Water (20°C)
Not Applicable	N/A	N/A	(mm Hg) @20°C:0.01	No Data	No Data	No Data	Insoluble
Flash Point (°F/°C)		Flammable Limit (vol%)		Auto-ignition Temperature (vol%)			
>212°F/100°C Setaflash		ND/A		ND/A			

Section X: Stability and Reactivity

<p>Stability: Normally Stable</p> <p>Hazardous Decomposition Products: Fumes produced when heated to decomposition may include: carbon monoxide, carbon dioxide.</p> <p>Condition to Avoid: Storage > 100°F/38°C, exposure to light, loss of dissolved air, loss of polymerization inhibitor, contamination with incompatible materials.</p>	<p>Incompatibility (Materials to Avoid): Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and string bases.</p> <p>Hazardous Polymerization: May occur—Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.</p>
--	--

Section XI: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation-Skin	Irritation-Eye
ND/A	ND/A	ND/A	ND/A	ND/A
<ul style="list-style-type: none"> Since this product contains a very low concentration of active components, the primary toxicological information is derived from the oligomers. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals. 				

Sensitization	Mutagenicity	Sub-chronic Toxicity
ND/A	ND/A	ND/A

Section XII: Ecological Information

Acute Toxicity Fish	Acute Toxicity to Invertebrate	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
ND/A	ND/A	ND/A	ND/A	ND/A

Chemical Fate Information

Biodegradability	ND/A
Chemical Oxygen Demand	ND/A

*To be best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated.
*Do not allow to enter water supplies, waste water, or soil.

Section XIII: Disposable Concentrations

Non-contaminated, properly inhibited product is not a RCRA hazardous waste. Comply with all Federal, State and local regulations. Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.

Section XIV: Transport Information

DOT (49 CFR 172)	
Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	None
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR)	
Proper Shipping Name:	Non-regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	None
Emergency Response Guidance (ICAO) #:	
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class of Division:	N/A
UN or ID Number:	N/A
Special Provision & Storage/Segregation:	None
Emergency Schedule (EmS)#:	N/A
Other Information: Flash point >	100°C

Section XV: Regulatory Informatio
--

US Federal Regulations:

US Federal Regulations:


Clean Air act: HAP/ODS	This product contains the following Hazardous Air Pollutant (HAP's): • Benzophenone, CAS# 119-19-9 This product does not contains Ozone Depleting Substances (ODS's).
Clean Water Act: Priority Pollutant List	This product contains no chemicals listed under the U.S. Clean Water Act (CWA) This product contains no chemical that are a Priority or Pollutant under Clean Water Act (CWA)
FDA: Food Packaging Status	This product had not been cleared by FDA for use in food packaging and/or other applications an indirect food additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSHA Hazard Communication Standard. It's hazards are: • Immediate (acute) health hazard • Delayed (chronic) health hazard • Reactive hazard
RCRA	This product is not considered to be hazardous waste under RCRA (40 CFR 261).
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extreme hazardous substances that carry TPQ.

SARA Title III: Section 302(RQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous chemical for emergency release notification (“CRCLA” List).
SARA Title III: Section 311-312	This product is considered to be hazardous under OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Is hazard are: <ul style="list-style-type: none"> • Immediate (acute) health hazard • Delayed (chronic) health hazard • Reactive hazard
SARA Title III: Section 313	this product contains the no chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

State Regulations:

CA Right-to-Know law: CA No Significant Risk Rule:	NONE NONE
MA Right-to-Know Law:	This product contains no hazardous chemicals on the Massachusetts Substance List
NJ Right-to-Know Law:	This product contains no hazardous components subject to disclosure under New Jersey Right-to-Know legislation.
PA Right-to-Know Law:	This product contains no components subject to disclosure under Pennsylvania Right-to-Know legislation.
FL Right-to-Know Law:	This product contains no hazardous components subject to disclosure under Florida Right-to-Know legislation.
MN Right-to-Know Law:	This product contains the following non-hazardous component subject to disclosure under Minnesota Right-to-know Legislation: Benzophenone, CAS# 119-19-9

International Regulations:

CDSL: Canadian Inventory (on Canadian Transitional List)	Benzophenone, CAS# 119-19-9 is on the DSL list. WHMIS = n/da Hydroxycyclohexyl Phenyl ketone, CAS# 947-19-3 is on the DSL List. WHMIS = n/da.
EINECS: European Inventory: 	<ul style="list-style-type: none"> • Hazard Symbol: Xi: <i>Irritant</i> • Risk Phrases: R20: <i>Harmful inhalation</i>, R43: <i>May cause sensitization by skin contact</i>. • Safety Phrases: S24/25: <i>Avoid contact with skin and eyes</i>, S28A: <i>After contact with skin, wash immediately</i>, S37: <i>Wear suitable protective clothing and gloves</i>, S45: <i>In case of accident, or feel unwell, seek medical advise immediately (show label where possible)</i>.

Section XVI: Other Information

Hazard Rating System

NFPA: Health 2/ Flammability 1/ Reactivity 2

HMIS: Health 2/ Flammability 1/ Reactivity 2

Revised: July 3rd, 2009

Revised Sections since Last Version	Section 2 contents and format update throughout.
-------------------------------------	--

The information presented herein was obtained from sources considered to be liable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended to use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only directed. If the product is used as a component of other product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (800) 535-5053.