



CHRISTRIO

Manufacturer of Beauty Products

1950 Compton Ave. Ste. 103

Corona, CA. 92881

Phone: (951) 808 – 4730 Fax: (951) 808 – 4734

MATERIAL SAFETY DATA SHEET

Section I: Product and Company Identification

Product name: Quick Set Adhesive Glue

Chemical Name: N/A

Manufacturer: CHRISTRIO CORP.

1950 Compton Ave. #103

Corona, CA. 92881

Family Name: N/A

Product Use: Nail Adhesive

Emergency Phone #: 800 535- 5053

International Phone #: 1-352-323-3500

Information Contact: (951) 808 – 4730

Section II: Product composition/Ingredients

Chemical Identity	CAS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/ OSHA	%
Ethyl Cyanoacrylate	7085-85-0	N/A	N/A	N/A	N/A	100%

N/E – None Established

N/R – Not Reviewed

ND/A – No Data Available

N/A – Not Available

Section III: Hazard Identification

EMERGENCY OVERVIEW	
•	May cause immediate bonding of skin
•	May irritate mucous membranes and respiratory tract

Potential Health Effects, Sign and Symptoms of Exposure:

Primary Route of Entry Inhalation, skin and ingestion.

Section IV: First Aid Measure

First Aid for Eye

Hold eye lid open immediately flush with plenty of water. Apply Cause patch and eyes will open in 1-4 days if stuck together.

First Aid for Skin Soak in warm soapy water or acetone if needed and carefully peel or roll skin apart – do not pull.
 First Aid for Inhalation Remove to fresh air.
 First Aid for Mouth Peel or roll lips apart and drink large quantities of water.
 First Aid for Burns Should be treated normally after Nail Glue is gone from tissue.

Section V: Fire fighting Measures

Flash Point (°F/°C)	Flammable Limit (Vol %)	Auto-ignition Temperature (Vol %)
185°F (85°C) (Method used: TCC)	N/DA	N/DA

Method:

Extinguishing Media: Water, dry chemical, foam or carbon dioxide.
 Fire Fighting Instructions: Cool fire exposed containers with water, remove away from building.
 Use self-contained breathing apparatus to fight fire.
 Unusual Hazards: A possible exothermic reaction that may cause ignition and fumes.

Section VI: Accident Release Measures

Spill or Release Procedure: Flood with water to polymerize, soak up with absorbent material and dispose in accordance with regulations.

Section VII: Handling and Storage

Handling/ Storage: Keep container closed and store in a well ventilated place at or below 75°F (24°C).

Section VIII: Exposure Controls/Personal Protective Equipment

Engineering Control Use process enclosures local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Personal Protective Equipment

Ventilation Protection Handle in the presence of adequate ventilation. Avoid breathing vapor.
 Eye/Face Protection Safety glasses.
 Skin Protection Protective clothing and chemical gloves.
 Respirator Protection Not necessary for normal use.

Section IX: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Special Gravity	Viscosity	% Volatile
Transparent	Irritating	N/DA	1.05	N/DA	98.8

Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure	Vapor Density	Evaporation Rate	Ignition	Solubility in Water (20°C)
365°F (185°C)	N/DA	N/DA	Less than 0.2mm @ 75°F (24°C)	N/DA	<1	N/DA	Polymerized in water.
Flash Point (°F/°C)		Flammable Limit (vol%)		Auto-ignition Temperature (vol%)			
185°F (85°C) (Method used: TCC)		N/DA		N/DA			

Section X: Stability and Reactivity

Stability: Stable

Incompatibility (Materials to Avoid):
Water, alcohol, amines, alkalis and sunlight

Hazardous Decomposition Products: None.

Hazardous Polymerization: May occur – exothermic.

Condition to Avoid: Heat, flame, ignition sources.

Section XI: Disposable Concentrations

All notification, clean up and disposal should be carried out in accordance with Federal, State and Local government regulations.

Section XII Transport Information

N/DA

Section XIII Other Information

Hazard Rating System

NFPA: Health 2/ Flammability 2 Reactivity 2

HMIS: Health 2/ Flammability 2 Reactivity 2

Revised: October 9th, 2008

Revised Sections since Last Version	Section 2-13 contents and format update throughout.
-------------------------------------	---

The information presented herein was obtained from sources considered to be liable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended to use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only directed. If the product is used as a component of other product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (800) 535-5053.